8900244

## THE UNIVERSALES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Asgrow Seed Company

Telherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'A3322'

En Lestimony Wancroot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of August in the year of our Lord one thousand nine hundred and ninety-one.

CD MAdig An Secretary of Agriculture

Attask

Kourt Havas Commissioner Plant Variots Predection Oli

Plant Variety Protection Office Agricultural Marketing Service

U.S. DEPARTMENT OF	U.S. DEPARTMENT OF AGRICULTURE						
AGRICULTURAL MARK	Applic	Application is required in order to determine					
	if a pl	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is					
APPLICATION FOR PLANT VARIET	held (	confidential until certificate is issued					
(Instructions of	n reverse)			S.C. 2426).			
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. V	ARIETY NAME			
ASGROW SEED COMPANY		:	L	A3322			
4. ADDRESS (Street and No. or R.F.D. No., City, State, a	and Zip Code)	5. PHONE (Include area code)	$\top$	FOR OFFICIAL USE ONLY			
9620-190-25			PVPC	NUMBER			
Gull Road, Building 190			1	8900244			
Kalamazoo, Michigan 49001		616-385-6605		0,00211			
	FAMILY NA	ME (Botanical)		DATE			
			Z	June 8, 1989			
Glycine max	Legi	ıminosae	FILING	TIME			
	, 2090			1:30 A.M. 12 P.M.			
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING			
			۾ ا	\$2150.			
	. ]	September, 1984	≥	DATE			
			RECEIVED	Thay 4, 1989			
10. IF THE APPLICANT NAMED IS NOT A "PERSON,"	GIVE FORM	OF ORGANIZATION (Corporation		AMOUNT FOR CERTIFICATE			
partnership, association, etc.)			EES	s 250.			
Corporation	-		#	DATE			
Corporation	tanan da sa			June 25,1991			
11. IF INCORPORATED, GIVE STATE OF INCORPOR.	ATION		12.	DATE OF INCORPORATION			
Delaware				March 22, 1968			
13. NAME AND ADDRESS OF APPLICANT REPRESEN	NTATIVE(S),	IF ANY, TO SERVE IN THIS APPL	ICATIO	N AND RECEIVE ALL PAPERS			
<del>John A. Batcha 9620-190-25</del> 🔽	Cathyl	Hard 4 June 1991	SSA				
Asgrow Seed company	Sary E, S	,	0 3 "				
Gull Road, Building 190	. د						
Kalamazoo, Michigan 49001	•	PHONE (Include a	rea code	با: 			
14. CHECK APPROPRIATE BOX FOR EACH ATTACH	MENT SUBMI	TTED					
a. X Exhibit A, Origin and Breeding History of th	ie Variety <i>(Se</i>	e Section 52 of the Plant Variety P	rotectio	n Act.)			
b. D Exhibit B, Novelty Statement.							
c. Exhibit C, Objective Description of Variety	(Request forn	n from Plant Variety Protection Of	fice.)				
d. X Exhibit D, Additional Description of Variety		-					
e. Exhibit E, Statement of the Basis of Applica	int's Ownersh	ip.	•				
15. DOES THE APPLICANT(S) SPECIFY THAT SEED	OF THIS VAR		ME ONL	Y AS A CLASS OF CERTIFIED			
SEED? (See Section 83(a) of the Plant Variety Prote	ction Act.)	Yes (If "Yes," answe	r items	16 and 17 below) XX No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS V	ARIETY BE			CLASSES OF PRODUCTION			
LIMITED AS TO NUMBER OF GENERATIONS?		BEYOND BREEDER SI	ED!				
Yes X No		Foundation	F	legistered Certified			
18. DID THE APPLICANT(S) PREVIOUSLY FILE FO	OR PROTECT	TION OF THE VARIETY IN THE	U.S.?	Yes (If "Yes," give date)			
	•			Tes  // /es, give date/			
				x No			
19. HAS THE VARIETY BEEN RELEASED, OFFERE	D FOR SALE	OR MARKETED IN THE U.S. C	ROTH	ER COUNTRIES ?			
				Yes (If "Yes," give name. of countries and dates)			
e e e e e e e e e e e e e e e e e e e							
				X No			
20. The applicant(s) declare(s) that a viable sample	of basic see	ds of this variety will be furnish	ed with	the application and will be re-			
plenished upon request in accordance with suc	h regulations	s as may be applicable.					
The undersigned applicant(s) is (are) the owner	r(s) of this se	exually reproduced novel plant v	ariety.	and believe(s) that the variety is			
distinct, uniform, and stable as required in Sec	tion 41, and	is entitled to protection under	the pro	visions of Section 42 of the Plant			
Variety Protection Act.							
Applicant(s) is (are) informed that false represent	entation here	ein can jeopardize protection an	d resul	in penalties.			
SIGNATURE OF APPLICANT				DATE			
	i			(1-2-6-0-			
In a. (5 atto		•		7-08-85			
SIGNATURE OF APPLICANT				DATE			
	100		ļ				

FORM LS-470 (3-86) Asgrow Seed Company
PVP Application A3322 Soybean
April 28, 1989

### EXHIBIT A

Origin and Breeding History of A3322

Pedigree: A4268\*X3836

X3836 = Williams\*Mack

1981 Made cross at Oxford, Indiana.

1981-82 Winter Nursery - Grew  $\mathbf{F}_1$  and  $\mathbf{F}_2$  generations in Delray Beach, Florida.

1982 Grew F, generation at Oxford, Indiana.

1982-83 Winter Nursery - Grew  $F_4$  generation in Delray Beach, Florida.

1983 Grew  $F_5$  population at Oxford, Indiaia. Selected 200  $F_5$  plants.

1984 Grew  $F_5$  derived progeny rows at Oxford, Indiana. Progeny row B81563 B84Y18318R was selected and harvest in bulk. The seeds were checked and verified for uniform seed coat luster and hilum color.

It was September, 1984, that B81563 B84Y18318R was determined to be a stable and unique line.

- B81563 B84H18318R was entered into the 85P326 as Entry 30 which was grown at Oxford, Indiana, and Stonington, Illinois. It produced uniform stands and was selected for its high yield and excellent standability.
- B81563 B84Y18318R was entered into the 86S302 as Entry 22 which was grown at 9 locations over 4 states. One hundred single F<sub>7</sub> plants were pulled at Stonington, Illinois. The line was named X3222.
- 1986-87 Winter Nursery  $F_{g}$  pure rows were grown in Puerto Rico.
- 1987 X3222 was entered into the 87V301 as Entry 11 which was grown at 14 locations over 3 states.

A subline maintenance test was grown at Oxford, Indiana, and Stonington, Illinois. Twelve  $F_8$ -derived sublines were selected for uniformity and bulked to form breeder seed of 250 pounds. This seed was planted in Puerto Rico in December, 1987, for a 1 generation increase.

1988 X3222 was entered into the 88V301 as Entry 9 which was grown at 17 locations over 7 states.

Over 200 acres of X3222 were grown at 3 production plants - Perry, Iowa; Oxford, Indiana; and Stonington, Illinois.

Asgrow Seed Company PVP Application A3322 Soybean April 28, 1989

X3222 was nominated for release and full production and assigned the designation, A3322.

Yield trials in 1985-1988 and seed production in 1988 indicate that A3322 is uniform and stable. As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual production

Asgrow Seed company
PVP Application A3322 Soybean

April 28, 1989

### EXHIBIT B

Novelty Statement Concerning A3322 Soybean

To our knowledge the soybean varieties that most closely resemble A3322 are A3127, A3205, A3427, Harper 87, Resnick and 9331.

1.	Flower Color:	A3322		White
		A3127	=	Purple
,		A3205	=	Purple
		A3427	=	Purple
,		Williams 79	=	White
		Harper 87	=	Purple
	• .	Resnick	=	Purple
		9331	=	Purple
2.	Plant Pubescence Color:	A3322	_	Tawny
٠.	riant rubescence color.	A3127		Tawny
		A3127 A3205		Tawny
		A3427		Tawny
		Williams 79		
		Harper 87		Tawny
		Resnick		Tawny
		9331	=	Tawny
3.	Pod Wall Color:	A3322	=	Tan
2::		A3127	=	Tan
		カココハビ	_	Brown
	•	A3205		
	·	A3427		Tan
			<u></u>	Tan
		A3427 Williams 79	<del>==</del> =	Tan
		A3427 Williams 79 Harper 87	=======================================	Tan Tan
		A3427 Williams 79 Harper 87	=======================================	Tan Tan Brown
	Hilum Color.	A3427 Williams 79 Harper 87 Resnick 9331	= = =	Tan Tan Brown Tan Tan
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331	=======================================	Tan Tan Brown Tan Tan
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331 A3322 A3127		Tan Tan Brown Tan Tan Black Black
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331 A3322 A3127 A3205		Tan Tan Brown Tan Tan Black Black Brown
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331 A3322 A3127 A3205 A3427		Tan Tan Brown Tan Tan Black Black Brown Black
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331  A3322 A3127 A3205 A3427 Williams 79		Tan Tan Brown Tan Tan Black Black Brown Black Black Black
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331  A3322 A3127 A3205 A3427 Williams 79 Harper 87		Tan Tan Brown Tan Tan Black Black Brown Black Black Black Black
4.	Hilum Color:	A3427 Williams 79 Harper 87 Resnick 9331  A3322 A3127 A3205 A3427 Williams 79		Tan Tan Brown Tan Tan Black Black Brown Black Black Black

### 5. Reaction to Races of Phytophthora megasperma f. sp. glycinea

							Ŕ	ACE					
	1	2	3	4	5	7	8	9	13	16	<u>17</u>	21	25
A3322	R	R	R	S	S	R	R	R	R	S	R	R	S
A3127	S	S	S.	Ş	S	s	S	S	S	S	S	S	S
A3205	S	S	S	S	S	S	S	S	S	S	S	S	S
A3427	R	R	R	S	S	$\mathbf{R}$	R	R	R	S	R	R	S
Williams 79	R	R	R	S	S	·R	R	R	R	S	R	R	S
Harper 87	R	R	R	R	R	R	R	R	R	S	R	R	S
Resnick	R	R	R	$\mathbb{R}$	R	$\mathbf{R}$	R	R	R.	S	·R	R	S
9331	R	R	R	S	S	$^{\mathrm{R}}$	R	R	R	S	R	R	S

## 6. Seed Protein Peroxidase Activity

Low
High
Low
High

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	•	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
ASGROW SEED COMPANY		A3322
ADDRESS (Street and No., or R.F.D. No., City, State, and Z	Zip Code)	FOR OFFICIAL USE ONLY
9620-190-25		PVPO NUMBER
Gull Road, Building 190 Kalamazoo, Michigan 49001		8900244
Choose the appropriate response which characterizes in your answer is fewer than the number of boxes pro	the variety in the features described	below. When the number of significant digit
Starred characters * are considered fundamental to an		
when information is available.		
1. SEED SHAPE:		
2		en e
"	W T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		d (L/W ratio > 1.2; L/T ratio = < 1.2) I (L/T ratio > 1.2; T/W > 1.2)
7 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Othe	r (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
5. SEED COAT LOSTER. (Wature Hand Shened Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny	('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
115		
Grams per 100 seeds	•	
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect B	Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
$\perp$ 1 = Low 2 = High		
A CEED DOOTEIN CO POTROSUORETTO DANS		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>8</sup> ) 2 = Type B (S	SP1 <sup>b</sup> )	The Market of the Control
9. HYPOCOTYL COLOR:		
		Milliand markly (Parant)
1 = Green only ('Evans'; 'Davis') 2 = Gr 3 = Light Purple below cotyledons ('Beeson'; 'Pick'	een with bronze band below cotyledons ett 71')	( vvoodworur ; rracy )
4 = Dark Purple extending to unifoliate leaves ('Ho		
T10. LEAFLET SHAPE:		
IV. LEAFLET SHAFE:		
3 1 = Lanceolate 2 = Oval 3 =	Ovate 4 = Other (Specify)	

•	11,	LEAFLE	T SIZE:					-
		2	1 = Small ('Amsoy 71'; 'A5312') 2 = 3 = Large ('Crawford'; 'Tracy')	Medium ('Corsoy 79	9'; 'Gasoy 17')		·	
-	12.	LEAF C	OLOR:	······································				
		3	1 = Light Green ('Weber'; 'York') 2 = 3 = Dark Green ('Gnome'; 'Tracy')	Medium Green ('Co	rsoy 79', 'Braxton'	) 		
*	13.	FLOWE	R COLOR:				•	-
		1	1 = White 2 = Purple 3 = Wh	nite with purple thro	at			·
*	14.	POD CO	LOR:					
		1	1 = Tan 2 = Brown 3 = Black					
*	15.	PLANT	PUBESCENCE COLOR:					•
	-	2	1 = Gray 2 = Brown (Tawny)					
	16.	PLANT	TYPES:					
		2	1 = Siender ('Essex'; 'Amsoy 71') 2 = 3 = Bushy ('Gnome'; 'Govan')	Intermediate ('Amo	cor'; 'Braxton')			
*	17.	PLANT	HABIT:					
		3	1 = Determinate ('Gnome'; 'Braxton') 2 = 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	Semi-Determinate	('Will')			
*	18.	MATUR	ITY GROUP:					
	(	6	1 = 000	5 = II = IX 13 = X	6 = III	7 = IV	8 = V	
*	19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susceptible	; 2 = Resistant)				
		BACT	ERIAL DISEASES:					
	*	0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)					
	*		Bacterial Blight (Pseudomonas glycinea)	•				
	*	0	Wildfire (Pseudomonas tabaci)					-
		FUNGA	AL DISEASES:					
	*	0	Brown Spot (Septoria glycines)					
		٠	Frogeye Leaf Spot (Cercospora sojina)					
	*	0	Race 1 Race 2 Race 3	Race 4	Race 5	Other (S	pecify)	
		0	Terget Spot (Corynespora cassiicola)			: · · ·		
			Downy Mildew (Peronospora trifoliorum var. manshu.	rica)	•			
		2	Powdery Mildew (Microsphaera diffusa)					
٠	*	1	Brown Stem Rot (Cephalosporium gregatum)				•	
		0	Stem Canker (Diaporthe phaseolorum var. caulivora)				•	٠ -

19.	DISEAS	SE REACTION	: (Enter 0 = Not Tested	; 1 = Susceptibl	e; 2 = Res	istant) (Conti	inued)			
	FUN	GAL DISEASE	S: (Continued)							
*	0	Pod and Stem	Blight <i>(Diaporthe phas</i>	eolorum var; soj	iae)			•		
	0	Purple Seed S	tain (Cercospora kikuch	nii)						• .
	0	Rhizoctonia F	Root Rot (Rhizoctonia s	rolani) .						
		Phytophthora	Rot <i>(Phytophthora me</i>	gasperma var. so	ojae)					
. <b>★</b>	2	Race 1	2 Race 2 2	7		ace 4	1 Race 5	0 Race	6 2 R	ace 7
	2	Race 8	2 Race 9	Other (Speci	ify)	· .				
	VIRA	L DISEASES:			-			•		
	0	Bud Blight (T	obacco Ringspot Virus)	•				*		
	0	Yellow Mosaid	c (Bean Yellow Mosaic \	/irus)						
*	0	Cowpea Mosa	ic (Cowpea Chlorotic Vi	irus)		\$ <del>-</del>		· · · · · · · · · · · · · · · · · · ·		
	0	Pod Mottle (B	ean Pod Mottle Virus)							
*	0	Seed Mottle (	Soybean Mosaic Virus)				1 1			
-	NEMA	ATODE DISEA	SES:							
		Soybean Cyst	Nematode (Heterodera	glycines)						
★.	1	Race 1	1 Race 2 1	Race 3	1 Ra	ace 4	Other (S)	pecify)		
	0	Lance Nemato	ode (Hoplolaimus Colom	nbus)			<del></del>			
*	0	Southern Roo	t Knot Nematode (Melo	idogyne incogni	ita)				•	
*	0	Northern Roo	t Knot Nematode <i>(Melo</i>	idogyne Hapla)						
	0	Peanut Root k	Knot Nematode (Meloid	ogyne arenaria)						
	0	Reniform Nen	natode <i>(Rotylenchulus r</i>	eniformis)						
	0	OTHER DISE	ASE NOT ON FORM (S	Specify):		·				-
			·						·	
	PHYSIO	LOGICAL RES	SPONSES: (Enter 0 = N	iot Tested; 1 = S	Susceptible	; 2 = Resistan	t)			
*		Iron Chlorosis	on Calcareous Soil		•					N.
		Other (Specify	/		<del></del>					
21.	INSECT	REACTION:	Enter 0 = Not Tested; 1	l = Susceptible;	2 = Resista	ant)			·	
	0	Mexican Bean	Beetle <i>(Epilachna varive</i>	estis)		•		•		
	0	Potato Leaf Ho	opper <i>(Empoasca fabae)</i>							
		Other (Specify	J					·	·	
22.	INDICAT	TE WHICH VA	RIETY MOST CLOSEL	Y RESEMBLES	THAT SI	JBMITTED				
		ACTER		VARIETY	1	CHARAC	TER	B) A ≡	ME OF VARIET	<u> </u>
F	lant Sha	pe	A3427			Seed Coat Li	<del></del>	A3427	WE OF VARIETY	
i	_eaf Shap	e ·	A3427			Seed Size		A3205		············
	eaf Colo	r	A3427			Seed Shape		A3427		<del></del>
ı	eaf Size		A3427			Seedling Pigr	nentation	Willia	ms 79	
							•			*

### 23: GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT_	LEAFL	ET SIZE	SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted A3322	137	1.7	91.2			43.1	21.8	15.0	2.6
A3427 Name of Similar Variety	138	2.3	91.4			42.8	22.3	14.0	2.6

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Asgrow Seed Company PVP Application A3322 Soybean April 28, 1989

### EXHIBIT D

Addition Description of the Variety

A3322 is an early Maturity Group III cultivar that possesses an outstanding combination of characters needed by producers in its maturity zone. It combines high yield potential, excellent standability, excellent emergence and resistance to many races of Phytophthora megasperma f. sp. glycinea conferred by the Rps<sub>1</sub><sup>C</sup> alleles.

### EXHIBIT E

## STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

A3322 was originated and developed by Alan K. Walker, Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.